

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psd@mpcb.gov.in



Kalpateru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

Date: 09/12/2024

No:- Format1.0/PSO/UAN No.0000212646/CE/2412000629

To,
ANTYODAYA AYURVEDIC HOSPITAL
,DATEWADI,THA NARKHED,Nawegaon (535948),Nagpur
-441301
Email:prabhakarbondre14@gmail.com
Contact No.:9623777831



Grant consent to Establish and Operate under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CCONSENT-0000212646
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 17/06/2024
3. SCN for Refusal issued vide no. MPCB/PSO/BMW/B-241011-FTS-0240, dated 11.10.2024
4. Reply uploaded on portal dated -26.10.2024, 20.11.2024 and 09.12.2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish and Operate to HCF under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **10-01-2020 To 10-01-2026**
2. The capital investment of the HCF is **₹320.14 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area - Plot Area 17549.93 M² with Built-up area 3394.08 M².
4. **Activities Included**
 - a. Total Number of Beds : **60 Nos.** (As per BNH certificate no. 0 valid upto 09-06-2024)
 - i. General Beds - **60 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 19 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority